

INDEX MAPS.

T. 38 N. R. 3 W. 2nd Mer.

	6	5	4	3	2	1
	State Line					
	7	8	9	10	11	12
215	234	229	225	222	219	213
	233	233	228	225	222	218
214	18	233	17	228	16	225
	232	232	228	224	221	218
214	19	231	20	227	21	224
	231	231	227	223	220	217
214	30	230	29	227	28	223
	230	229	226	223	219	216
213	31	229	32	226	33	222
	210	210	209	209	208	208

T. 29 N. R. 4 W. 2nd Mer.

	244	244	243	243	243	242
246	6	261	5	257	4	254
	261	261	257	254	251	248
245	7	261	8	257	9	254
	260	260	256	253	250	248
245	18	260	17	256	16	253
	260	259	256	253	250	247
245	19	259	20	256	21	253
	259	259	256	253	250	247
244	30	258	29	255	28	252
	258	258	255	252	249	246
244	31	257	32	255	33	252
	240	239	239	238	238	238

The figures on the lines refer to the page.

Township 38 North Range 3 West 2nd Mer. Ind.

C. L.

South Boundary.

Var. 5° 10' E.

West On S. side of sec. 36
 16.83 To a W. Oak 16 in. dia. in the line,
 35.16 " " Hickory 6 " " " "
 37.00 Entered a wet prairie
 40.00 Set the gr. sec. cor. post & raised a mound
 sprigs on each side,
 49.00 To a spring branch 3 ft. wide in, W. N. W.,
 51.50 " the same do. 6 " " " S. W.,
 52.50 " " Do. " 6 " " " N. W.,
 56.00 " scattering timber
 60.60 " a Hickory 24 in. dia. in the line,
 where entered a wet prairie
 80.00 Set a post cor. to sec. 35 & 36 from which
 in wet prairie from which a
 W. Oak 18 in. dia. bears N 68° W 219 ft. &
 a Bl. Oak 20 " " " West 200 " dist.
 Land is rolling & separate & the timber
 is W. & R. Oak & Hickory, Oak & h. g.

West On the S. side of sec. 35
 2.50 Leave the wet prairie
 8.50 To a stream 15 ft. wide in, N. W.,
 & here enter a prairie
 34.50 Leave the same do.
 40.00 Set the gr. sec. cor. post from which
 a Bl. Oak 14 in. dia. bears N 65° W 25 ft. dist.,
 & a W. Oak 14 " " " N 15° E 16 " "
 62.50 To a Bl. Oak 22 " " in the line,
 80.00 Set a post cor. to sec. 34 & 35 from wh.,
 a W. Oak 18 in. dia. bears N 20° W 30 ft. dist.,
 & a Do. 16 " " " N 14° E 98 " "
 Rolling 2° & 3° rate land & the timber is

T. 38 N. R. 3 W. 2nd, New, Ind.^a

C. L. Bl. R. W. Oak & Hickory, &c. & Hickory & Oak N. G.

West	On the S. side of sec. 34
21.16	To a Hickory 16 in. dia. in the line,
22.00	" " Branch 3 lbs. wide en. NW,
25.00	After varying crossings leave same NW,
40.00	Set the 1 st sec. cor. post from which a W. Elm 28 in. dia. bears N 42 E 16 lbs., La Lynx 18 " " " N 20 W 34 " dia.,
43.00	To a Mineral Spring en. NW,
46.50	To a Branch 12 lbs. wide en. NW,
57.59	" " Red Oak 20 in. dia. in the line,
80.00	Set a post cor. to sec. 33 & 34 fr. wh. a Hickory 8 in. dia. bears N 19 E W 20 lbs. dia. La Do. 8 " " " N 48 E 6 " "
	Land past level rolling & 2 nd rate & the timber is Beech, Red Bl. & W. Oak Poplar, Lynx Hickory &c. N. G. Spice Ash &c.

West	On the S. side of sec. 33,
2.30	To a Branch 10 lbs. wide en. N,
22.90	To a G. ash 16 in. dia. in the line,
24.00	" " sluggish stream 10 lbs. wide en. N,
40.00	Set the 1 st sec. cor. post from which a W. Oak 30 in. dia. bears N 57 E 50 lbs. dia., La Do. 30 " " " N 61 W 75 " "
50.50	To a Do. 34 " " in the line,
57.00	" " sluggish stream 4 lbs. wide en. N,
68.00	To a Branch 4 lbs. wide en. W N W, 4 ft. deep & Enter barney
80.00	Set a post cor. to sec. 32 & 33, a W. Oak 14 in. dia. bears N 60 E 31 lbs. dia., La W. Oak 16 " " " N 44 W 99 " "
	1 st & 2 nd mile is 2 nd rate heavy timbered

T. 38 N. R. 3 W. 2nd Mer. Ind^a

6. S.

with Poplar Bush Ash &c. & 2nd mile
bearing 3rd rate & timber? with W & Bl. Oak
& the mud, etc., is Spin Oak & Hickory,

Met On the S. side of sec. 32,
15.25 To a branch 4 M. wide en. N.W.,
35.50 " " Do. 4 " " " North
40.00 Set a gr. recs. cor. post from which
a W. Oak 38 in. dia., bears N 68 E 161 M.,
& no other bearing true consequent,
80.00 Set a post cor. to sec. 31 & 32 from wh.
a W. Oak 22 in. dia., bears N 50 E 16 M.,
& a W. Oak 18 " " " N 15 W 79.
Land level poor & 3rd rate & the timber,
is Bl. K. Oak &c. N. G. Oak Hickory &c.,

Met On the S. side of sec. 31
16.08 To a W. Oak 24 in. dia., in the line,
40.00 Set the gr. recs. cor. post from which
a Bl. Oak 18 in. dia., bears N 57 W 55 M. dia.,
& a Do. 22 " " " N 73 E 83 " "
43.75 To a Branch 3 M. wide en. W. N
59.00 " a Bl. Oak 22 in. dia., in the line,
76.25 " a Stream 50 M. wide en. S. W.,
80.00 Set a post in a marsh cor. to Towns,
37.38 N. Range 3 & 4 W from which
a Br. Oak 18 in. dia., bears N 4 E 34 M. dia.,
& a W. Oak 22 " " " N 32 W 33 " "
& a Bl. Oak 18 " " " S 9 W 31 M. dia.,
& a W. Oak 18 " " " S 58 E 40 " "
Level 3rd rate land & the timber is Bl. W.,
& K. Oak, Hickory, &c., N. G. Oak & Hickory
June 24th 1829.
Surveyed by Thomas Brown, Dep. Sur.

T. 38 N. R. 3 W. 2nd, Mer, Ind.

C. L.

East Boundary.

(Var. 5+35'E.)

North On the E. side of sec. 36,
 22.35 To a Bl. Oak 24 in dia, with the line,
 40.00 Set the gr. sur. cor. post. cor. from wh.
 a W. Oak 8 in dia, bears N 66° W 33 M. dist,
 & a Hickory 8 in dia, a N 89° W 73 " "
 71.43 To a W. Oak 8 " " with the line,
 73.00 " " Spring course N.W.,
 76.00 " " " branch cor. E, 4 M. wide,
 80.00 Set a post cor. to sec. 25 & 36 from wh.
 a Hickory 8 in dia, bears S 84° W 35 M. dist,
 & an Ironwood 6 " " " N 16° W 29 " "
 Land rolling 2nd rate & the timber
 is Bl. W. Oak Hickory Lyrus Poplar &
 Mud. Elm, Oak Hickory. Sassafras &

North On the E. side of sec. 25
 17.30 To a poplar 16 in dia with the line,
 20.00 " " Beautiful branch 10 M. wide on N.W.
 40.00 Set a gr. sur. cor. post. from which
 a Cherry 18 in dia, bears N 26° W 20 M.,
 & a Water Birch 8 in dia, a S 72° W 10 "
 42.00 Entered a Bl. Ash swamp
 50.69 To a W. Elm 20 in dia, with the line,
 & where leaves the swamp
 80.00 Set a post cor. to sec. 24 & 25
 a W. Elm 4 in dia, bears N 57° W 4 M.,
 & a Do. 24 " " " " S 9° W 14 " dist,
 Level Sweet & 3rd rate land & the timber
 is Birch, Sugar Poplar Ash Elm Pine,
 Mud. Elm, Sugar Hickory, Lyrus Birch
 & Cherry &

T. 38 N. R. 3 W. 2nd Mer. Ind. a

- Co. L,
 North On the E. side of sec. 24
 13.05 To a W. Elm 16 in. dia. in the line,
 16.00 Enter a wet prairie mostly wet
 27.23 To a Bl. ash 16 in. dia. & leave prairie
 40.00 Set 4 sec. cor. post from which
 an Elm 5 in. dia. bears S 33° W 6 1/2 lbs. dist. &
 a Pin Oak 6 " " " N 31° W 10 " "
 44.00 Cut E. bend of a stream 40 lbs. wide & 10 ft. deep
 49.00 To same stream cor. NE,
 53.05 To a Beech 18 in. dia. in the line,
 73.00 Enter a Buttonwood swamp
 75.00 Leave the same mostly W,
 80.00 Set a post cor. to sec. 13 & 24 from wh.
 a Beech 14 in. dia. bears S 52° W 24 lbs. dist.
 & a Sugar 6 " " " N 43° W 26 " "
 Land level wet 2nd & 3rd rate & the timber
 is Elm Ash Lyman Beech Oak Sugar &
 Mud & the Ash Willow Beech Lyman &

- North On the E. side of sec. 13,
 19.00 To a spring branch 4 lbs. wide on S,
 27.20 " " Forked Lyman 44 in. dia. in the line,
 35.50 " " Branch 3 lbs. wide on E,
 40.00 Set the gr. sec. cor. post from which
 a Lyman 16 in. dia. bears N 67° W 13 lbs. dist.
 & an Ironwood 4 in. dia. S 60° W 18 " "
 61.29 To a Beech 18 in. dia. in the line,
 64.00 " " Buttonwood swamp offset E 250
 68.00 Paid off & set
 80.00 Set a post cor. to sec. 12 & 13,
 a Maple 10 in. dia. bears S 5° W 10 lbs. dist.
 & a Poplar 16 " " " N 44° W 57 " "
 Part level rolling 2nd rate & the timber
 is Beech Ash Lyman Oak, Sugar, White,

T. 38 N. R. 3 W. 2nd Mer. Ind.^a

C. L. Lapekas Meple & Co. M. G. Spruce Elm & Co.

North On the E. side of section 12,
 5.50 To a swamp, offset West 2.50 M.
 9.00 offset paid,
 23.18 To a Lapekas 12 in dia. in the line,
 30.00 Entered a blk. ash swamp
 40.00 Set a gr. res. cor. post in swamp from which
 a Bl. Ash 10 in dia. bears N 57° W 46 M. dist.
 & a Forked Elm 24 in dia. & crotch 55 " "
 42.99 To the N. boundary of state of Ind.^a,
 33.90 E. of C. mile post, where set post
 cor. sec. 9 & 12. & Town. 38 N. R. 2 & 3 W.
 an Elm 24 in dia. bears South 239 M.
 & no other tree near land level
 west & 3rd rate & the timber is Lyne Ash
 Maple Elm & Co. M. G. Spruce Willow birch
 June 23rd 1829,

West Boundary.
 (Var. 5th 35th E.)

North On the E. side of sec. 36 T 38 N R 4 W
 5.50 To a Branch 3 M. wide on. S. E.,
 23.90 " " Birch 18 in dia. in line,
 40.00 Set the gr. res. cor. post from which
 a Beech 26 in dia. bears N 17° W 37 M. dist.
 & a Do. 18 " " " N 46° W 12 " "
 55.16 To a Sugar 20 " " in the line,
 80.00 Set a post cor. to sec. 25 & 36 from which
 a Beech 22 in dia. bears S 38° W 21 M. dist.
 & a Sugar 16 " " " N 20° W 24 " "
 Land is mostly level 2nd rate & the
 timber is lofty Oak Beech Sugar ash
 & Red Elm & Dogwood Lyne Ash Sugar Birch

214

T. 38 N. R. 3 W. 2nd New. Ind.^a

6.00 North On the E. side of sec. 25 T. 38 N. R. 4 W
 6.00 To a Spring 4th wide on N. W.,
 15.50 " " Branch 4 " " " " " " " " " " " "
 20.66 " " Poplar 20 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Beech 8 in. dia. bears N 62 W 31th dist.,
 & a No. 6 " " " " S 59 W 14 " "
 59.98 To a No. 16 " " in the line,
 70.00 Enter a large swamp on W,
 80.00 Set a post cor. to sec. 24 & 25 from wh.,
 a Sycamore 22 in. dia. bears N 45 E W 1 Eth dist.,
 & a W. Elm 6 " " " " S 19 W 7 " dist.
 Land here wet & third rate & the timber
 is Elm, Oak, Beech Poplar &c, Sycamore
 Maple &c. Mud, Gt. Beech Elm &c

North On the E. side of sec. 24 T. 38 N. R. 4 W
 16.13 To a Beech 18 in. dia. in the line,
 35.00 To the W. end of a swamp
 40.00 Set the gr. sec. cor. post from wh.,
 a Red Oak 30 in. dia. bears S 32 W 18th dist.,
 & a Beech 6 " " " " N 2 E W 35,
 55.50 To a swamp offset E. 3.50th dist.,
 63.50 paid the offset
 69.43 To a Beech 22 in. dia. in the line
 80.00 Set a post cor. to sec. 13 & 24 from wh.,
 a Red Oak 5 in. dia. bears N 11 W 26th dist.,
 & a Poplar 10 " " " " S 29 W 46 " "
 Land here wet 2nd & 3rd rate & the
 timber is Beech Oak Sugar Elm
 Poplar &c. Mud, Gt. Now. Saplings Sycamore

North On the E. side of sec. 13 T. 38 N. R. 4
 15.00 To a G. Ash 16 in. dia. Set. post swamp N E
 & S W. —

T. 38 N. R. 3 W. 2nd Mer. Ind.

6.00	Set the 2 nd sec. cor. post from which
40.00	a Red Oak 18 in. dia., bear N 55° W 28 th , & a Maple 26 " " " S 38° W 50 "
40.50	Leave the swamp
50.88	To a Birch 18 in. dia., in the line,
58.50	Enter a swamp mostly S W,
69.00	Leave the same
69.82	To a Pine 36 in. dia., in the line,
80.00	Set a post cor. to sec. 12 & 13 from which a Jack Oak 10 in. dia., bear N 38° W 33 th , & a Do. 12 " " " S 48° W 23 " dia., Land mostly level 2 nd rate & the timber is Birch, Pine, Oak Hickory, Poplar, Elm, bud. 9 th , Spruce, Hazel, Elder Shumaker, Aspen Willow Briers &c

North	On the E. side of sec. 12 T 38 N R 4 W
23.19	To a Poplar 10 in. dia., in the line,
35.00	To a stream 10 th wide cor. N E,
40.00	Set the gr. sec. cor. post from which a Bl. Oak bush 4 in. dia., bear N 52° W 22 th dia., & a W. Oak 20 in. dia., bear N 60° W 49 " "
43.11	To the N. boundary of Indiana 31.50 th , E. of line on margin of Lake Michigan where set a post cor. from T. 38 N. R. 3 W a Bl. Oak 4 in. dia., bear N 67° W 8 th dia., & a Do. 4 " " " S 56° E 45 " "
	Poor barren wet land 3 rd rate & the timber is Oak, Pine &c, bud. 9 th , Aspen Oak Hazel, Briers &c. June 26 th 1829.

Subdivisions.

North	Between sections 35 & 36,
9.00	Leave the wet prairie

T. 38 N. R. 3 W. 2nd New, Ind.

600.00
 20.00 To a stream 20 Mts. wide en. NW,
 40.00 Set the gr. sur. cor. post from wh.
 a Br. Oak 20 in. dia. long N 75 E 45 Mts.
 & a - no other timber near,
 61.00 Entered a large wet prairie
 80.00 Set a post cor. to sec. 25, 26, 35 & 36,
 a W. Oak 24 in. dia. long N 12 E 600 Mts.
 Land & canopy wet prairie & the timber
 W & B. Oak &c. &c.

East On Random between sec. 25 & 36,
 22.00 Leave the wet prairie
 29.00 To a stream 6 Mts. wide en. NW,
 40.00 Set a temporary 1/4 sec. cor. post
 56.00 Leave canopy & Enter timber land
 79.94 To the E. line of sec. 90 Mts. N. of post,

West Correct the line between sec. 25 & 36
 39.97 Set the gr. sur. cor. post from which
 a W. Oak 12 in. dia. long N 18 E 30 Mts. dia.
 & a Do. 15 " " " S 29 W 6 " "
 79.94 To the sec. cor. Land wet flat
 & swampy & the timber. W & B Oak

North Between sections 25 & 26,
 4.50 To a stream 12 Mts. wide en. NE, rapid
 6.00 Crop same NW,
 13.00 " Do. NE,
 17.60 " Do. NW,
 20.00 Leave the canopy
 39.00 To former stream 15 Mts. wide en. NE,
 40.00 Set the gr. sur. cor. post from which
 a Birch 8 in. dia. long N 6 E 12 Mts. dia.
 & a Hickory 12 " " " N 46 E 45 " "

T. 38 N. R. 3 W. 2^d New. Ind.

C. L.

44.00 To same stream 15 M., wide cor. NW,
 54.00 " " Do. 20 " " " NE,
 59.00 " " Do. 20 " " " NW,
 62.50 " " Do. 25 " " " NE,
 65.23 " an Elm 18 in. dia. in the line,
 77.00 Enter a wet prairie
 80.00 Set a post cor. to sec. 23, 24, 25 & 26
 a Br. Oak 15 in. dia. bears N 85 E 53 M. N. 1/2,
 & a Do. 18 " " " N 66 E 86 " "
 Land low flat & swampy & the timber
 is Bl. Ash, Elm & Water Birch &c

East

On Random between sec. 24 & 25
 3.00 Leave the wet prairie
 21.15 To a stream 30 M. wide cor. NE,
 40.00 Set a temporary 1/4 sec. cor. post,
 59.50 To a stream 20 M. wide cor. NE,
 80.40 To the E. line of sec. 21 M. N. of post,

West

Correct the line between sec. 24 & 25
 40.20 Set the 1/4 sec. cor. post from which
 a Swamp Oak 9 in. dia. bears N 8 E 13 M.,
 & an Elm 10 " " " N 10 E 41 "
 80.40 To the sections corner,
 Land all a bl. ash swamp & of
 very little value & the timber is Ash & Elm

North

Between sections 23 & 24
 17.00 Leave the wet prairie
 25.50 To a Hickory 18 in. dia. in the line
 40.00 Set the 1/4 sec. cor. post from wh,
 a Birch 10 in. dia. bears S 21 W 6 M. N. 1/2,
 & a Sugar 12 " " " S 72 E 15 "
 62.92 To a Gray Ash 15 in. dia. in the line,

218

T. 38 N. R. 3 W. 2nd Mer. Ind.

60.50	Set a post cor. to sec. 13, 14, 23 & 24 a Cherry 9 in. dia. bears S 86 E 15 1/2 W 1/2 & a Buck 9 " " " S 65 W 40 " "
80.00	Land level & 2 nd rate & the timber is Cherry, Buck, Ash, Lignum, Sugar Pine
40.00	East On Random between sec. 13 & 24 Set a temporary 1/4 sec. cor. post,
80.20	To the E. line of sec. 10 1/2 N. of post
40.10	West Correct the line between sec. 13 & 24 Set the gr. sec. cor. post from wh. a Buck 10 in. dia. bears N 57 E 4 1/2 W 1/2 & an Elm 10 " " " N 68 W 11 " 1/2
80.20	To the section corner. Land 2 nd rate & the timber is Sugar Poplar Oak Pine
23.33	North Between sections 13 & 14 To a Buck 12 in. dia. in the line,
26.00	Enter a pine & Lamerac swamp
40.00	Set the Dr. sec. cor. post from which a Pine 15 in. dia. bears N 59 E 31 1/2 W 1/2 & a Lamerac 5 " " " S 33 E 25 " "
57.00	Leave the swamp
65.32	To an Aspen 12 in. dia. in the line,
80.00	Set a post cor. to sec. 11, 12, 13 & 14 a Pine 2 1/2 in. dia. bears S 81 E 17 1/2 W 1/2 & a Poplar 9 " " " N 63 E 35 " "
	Soil thin & the timber is Pine Buck Sugar & Lamerac Pine
40.00	East On Random between sections 12 & 13 Set a temporary 1/4 sec. cor. post,
80.12	To the E. Boundary, at post,

T. 38 N. R. 3 W. 2nd Mer. Ind.

C. L.
 West Blazed back between sec. 12 & 13
 40.06 Set the Dr. sec. cor. post from which
 a W. Oak 9 in. dia. bears S 12 E 26 ths. dia.
 & a Birch 15 " " S 43 W 26 " "
 80.12 To the section corner,
 Land is same as on last mile,

North Between sections 11 & 12
 18.61 To a W. Oak 10 in. dia. in the line
 40.00 Set the gr. sec. cor. post from which
 a Spruce 18 in. dia. bears S 24 E 16 ths. dia.
 & a Do. 9 " " S 86 W 4 " "
 41.50 To the State line & made cor. sec. 11 & 12
 a W. Oak 30 in. dia. bears S 39 W 30 ths. dia.
 & a Birch 15 " " S 15 E 5 " "
 Land level & 2nd rate & the timber is
 Birch, Aspen Cherry &c Oct 23rd 1829

North Between sections 34 & 35
 24.00 Enter a wet prairie
 40.00 Set the Dr. sec. cor. post in mound,
 80.00 set a post cor. to sec. 26, 29, 34 & 35
 where raise a mound,
 Land being a wet prairie & the
 timber is W & S. Oak &c

East On Random between sec 26 & 35
 16.00 Enter a Lameran swamp
 25.00 Leaves the " Do.
 40.00 Set the temp. 1/4 sec. cor. post,
 69.00 Enter a wet prairie
 77.30 To a stream 15 ths. wide cr. S. W.
 80.03 To the Centre of sec. 20 ths. S. of post

T. 38 N. R. 3 W. 2nd? Mon. Ind.

- East
West Correct the line between sec. 26 & 25
40.07 Set the 2nd sec. cor. post from which
a Bl. Oak 10 in. dia. bears N 64° W 6th,
& an Elm 12 " " " S 13° W 38"
80.03 To the sections corner, Land wet prairie
& Lameraw swamp

North Between sections 26 & 27

- 20.00 Enter a Lameraw swamp
40.07 Set a 2nd sec. cor. post from which
an Elm 9 in. dia. bears N 10° E 11th in. dia.,
& a Maple 11 " " " S 29° W 12 " "
60.07 Leave the swamp & Enter wet prairie
68.00 Leave the wet prairie
69.50 To a W. Oak 10 in. dia. in the line,
80.00 set a post cor. to sec. 22, 23, 26 & 27
an Ironwood 9 in. dia. bears S 38° E 24th,
& a Do. 8 " " " N 5° W 25"
Land wet prairie & Lameraw swamp

East On Random between sec. 23 & 26

- 17.50 Enter wet prairie
40.00 Set the temp. 9th sec. cor. post,
80.10 To the E. line of sec. 50th in. dia. post,
Land bearing on the West, &
the timber is W. Oak, Hickory & Iron

- West Correct the line between sec. 23 & 26
40.05 Set the gr. sec. cor. post from which
no bearing - Raise a mound
80.10 To the sections corner, Land is
bearing on the W. Oak Hickory Iron?

North Between sections 22 & 23,

T. 38 N. R. 3 W. 2nd Mer. Ind.

Cor. B,
 18.44 To an Elm 18 in. dia., in the line,
 40.00 Set the 2nd sec. cor. post from which
 a Maple 17 in. dia., bears N 58° 12' W. 12 ft.,
 & a Poplar 10 " " " S 77° 20' " "
 69.75 To a Sugar 12 " " in the line,
 80.00 Set a post cor. to sec. 15 & 14. 23 & 22;
 a Beech 12 in. dia., bears East 8 ft. dist.,
 & a Do. 10 " " " N 3° W 50 " "
 Land level & sec. 1 rate & the timber is
 Sugar Beech & W. Oak in Oct. 24. 1829

East On Random between sec. 14 & 23
 40.00 Set a temporary 1/4 section post
 78.98 To the E. boundary of sec. 63 Mer. No. 1st,

West Correct the line between sec. 14 & 23
 39.49 Set the gr. sec. cor. post from which
 a Beech 18 in. dia., bears S 75° W. 21 ft. dist.,
 & a W. Walnut 12 in. dia., bears N 33° W 27 " "
 78.98 To the section corner, Land & timber
 is same as on last mile,

North Between sections 14 & 15
 23.40 To a Sugar 10 in. dia., in the line
 40.00 Set the gr. sec. cor. post from which
 a Spruce 8 in. dia., bears N 44° E 4 ft. dist.,
 & a Sugar 20 " " " S 45° W 30 " "
 41.00 Enter a Swamp & Swamp
 75.00 Leave the " Do,
 80.00 Set the 1st sec. cor. to sec. 10, 11, 14 & 15
 a W. Oak 24 in. dia., bears S 61° E 24 ft.,
 & a Do. 12 " " " S 37° W 38 " "
 Land flat & swampy & the timber is
 Spruce Sugar & Beech on the S

T. 38 N. R. 3 W. 2nd Mer. Ind^a

6.21
East On Random between Sec. 11 & 14
40.00 Set a temporary 14 sec. cor. post
79.50 To the E. line of sec. 30 th. S. of post

West Blazed back between sec. 11 & 14
39.75 Set the gr. sec. cor. post from which
a W. Oak 30 in. dia. bears N 59 E 24 th.
A Maple 15 " " S 75 E 10 " dist.
79.50 To the section corner,
Land flat & soil thin & the timber
is Sugar Birch, Oak Maple &c,

North Between sections 10 & 11
14.75 To a Hickory 7 in. dia. in the line,
16.00 Enter a Pine & Larch swamp
40.00 Set the gr. sec. cor. post from which
a Larch 4 in. dia. bears N 78 E 19 th.
A Do. 3 " " " N 87 W 31 "
44.60 To the state line N. boundary, set post
corner to sec. 10 & 11 from which
a Pine 14 in. dia. bears S 34 E 40 th. dist.
A Do. 18 " " " S 58 W 71 " "
Land is Pine & Larch swamp,
Oct. 26th 1829.

North Between sections 33 & 34
19.27 To a Red Oak 12 in. dia. in the line
37.70 " " Stream 15 th. wide on N.W.
40.00 Set the gr. sec. cor. post from wh.
a Beech 10 in. dia. bears S 10 W 15 th. dist.
A Do. 12 " " " N 51 E 25 " "
62.06 To a Beech 12 " " in the line,
80.00 Set a post cor. to sec. 27.28.33 & 34
a W. Oak 10 in. dia. bears S 50 E 21 th. dist.

T. 38 N. R. 3 W. 2nd, Mer. Ind.^o

C. C.

To a W. Oak 21 in. dia., bears N 75 E 27 M.,
Land flat, soil thin & the timber
is W. Oak, Beech, Ironwood. &c

East On Random between sec. 27 & 34

25.00 Enter a wet prairie

40.00 Set the temporary 1/4 sec. cor. post

79.80 To the E. line of sec. 60 M., S. of post

West Correct the line between sec. 27 & 34

39.90 Set the 1/4 sec. cor. post in prairie
where raise a mound

79.80 To the section corner,
Land wet prairie with some
timber on the West, Beech & Oak
& Ironwood &c

North Between sections 27 & 28,

15.00 Enter swamp

25.00 Leave the same

28.30 To a Bl. Ash 18 in. dia. in line

40.00 Set the 1/4 sec. cor. post from wh.,

a Beech 20 in. dia., bears S 53 E 20 M.,

& a Poplar 30 " " " S 33 W 40 "

45.00 To a stream 10 M., wide ex. S W

68.13 To a Red Oak 9 in. dia. in line,

80.00 Set a post cor. to sec. 21. 22. 27 & 28,

an Elm 9 in. dia. bears S 89 E 25 M. dia.

& a Do. 20 " " " S 43 W 24 " "

Land flat swampy & the timber
is Bl. Ash swamp, Oak & Elm &c,

East On Random between sec. 22 & 27

3.00 To a stream 10 M., wide ex. N,

T. 38 N. R. 3 W. 2nd Mer. Ind.

C. L.

5.00 Entered a swamp
 53.00 Leave the swamp
 40.00 Set a temporary 1/4 sec. cor. post
 79.93 To the E. line of sec. 18th. S. of post

West Correct the line between sec. 22 & 27
 39.97 Set the 2nd sec. cor. post from which
 an Ash 18 in. dia. bears N 72 W 19 th. &
 a W. Oak 6 " " " N 67 E 16 th. dia.
 79.93 To the section corner, Land swampy
 of no value & open Ash & Oak timber,

North Between sections 21 & 22,
 5.00 To a stream 20 th. wide on. NW,
 15.82 To an Elm 15 in. dia. in the line,
 20.00 Entered a swamp
 40.00 Set the 1/4 sec. cor. post from which
 a Cherry 8 in. dia. bears N 12 W 9 th. dia. &
 a Do. 8 " " " East 19 " "
 56.00 To a B. Oak 15 " " in the line,
 75.00 Leave swamp.
 80.00 Set a post cor. to sec. 15. 16. 21 & 22
 a Beech 15 in. dia. bears N 15 W 23 th. dia.
 & a Do. 12 " " " N 81 E 63 " "
 Land low & swampy & the timber is
 Bl. Ash & Elm

East On Random between sec. 15 & 22
 22.00 Entered a swamp
 33.00 Leave the Do.
 40.00 Set the temporary 1/4 sec. cor. post,
 80.90 To the E. line of sec. 1 ch. N. of post

West Correct the line between sec. 15 & 22
 40.65 Set the 1/4 sec. cor. post from which

T. 38 N. R. 3 W. 2nd, Mer. Ind.

C. L.

a Gray Ash 12 in. dia, bears S 25° W 60 ft. dia,
 a Maple 10 " " " S 35° E 24 " "
 80.90 To the section corner,
 Land flat & swampy. The timber is
 sugar, Beech Maple, W & Bl, Oak ash
 October 27th 1829,

North Between sections 15 & 16

22.50 To a W. Oak 18 in. dia, in the line,
 40.00 Set the q. sec. cor. post from which
 a Beech 15 in. dia, bears N 61° E 60 ft. dia,
 & a Do. 15 " " " N 56° W 20 " "
 65.83 To a Beech 10 " " in the line,
 80.00 Set a post cor. to sec. 9, 10, 15 & 16
 a Pine 18 in. dia, bears S 31° W 33 ft. dia,
 & a B. Oak 10 " " " S 10° E 23 " dia
 Land flat soil thin timbered Pine Beech
 sugar R. & W, Oak & —

East On Random between sec. 10 & 15

30.00 Enter a Pine & Lamerac swamp
 40.00 Set a temporary q. sec. cor. post,
 75.00 Leave the same swamp
 80.60 To the E. line of sec. 50 ft. N. of post

West Correct the line between sec. 10 & 15

40.30 Set the q. sec. cor. post from wh.
 a Pine 18 in. dia, bears S 15° W 70 ft. dia,
 no other timber near,
 80.60 To the section corner,
 & the timber is Pine W. Oak & Beech
 on the West.

North Between sections 9 & 10.

T. 38 N. R. 3 W. 2nd, Nov, Ind^a,

C. L.
 25.43 To a W. Oak 10 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a Hickory 12 in. dia. bears S 58 E 16 ft.,
 & a W. Oak 26 " " " N 48 W 36 "
 42.03 To the N. boundy, of Indiana set post,
 at intersection, corner, sec. 9 & 10,
 a W. Oak 10 in. dia. bears N 44 W 58 ft.,
 & P. Ash 12 " " " S 18 E 46 "
 Land flat & the timber is Sugar Bush
 Gray Ash &c

North Between sections 32 & 33,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 36 in. dia. bears N 36 E 48 ft.,
 no other near -
 56.03 To a W. Oak 20 in. dia. in the line,
 80.00 Set a post cor. to sec. 28, 29, 32 & 33,
 a S. Oak 7 in. dia. bears S 7 E 25 ft. dist.,
 & a S. 7 " " " S 31 W 28 " "
 Land low bearing & the timber is
 White & Spanish Oak.

East On Random between sections 28 & 33
 18.19 To a stream 15 ft. wide cu. N,
 40.00 Set a tempy. 1/4 sec. cor. post
 80.30 To the E. line of sec. 70 ft. S. of post,

West Correct the line between sec. 28 & 33
 40.15 Set the gr. sec. cor. post from wh.,
 a Spruce 18 in. dia. bears N 6 E 12 ft.,
 & an Iron P. 9 " " " N 45 W 8 ft. dist.
 80.30 To the sections corner,
 thin bearing on the W. & the timber
 is W. Oak, Birch, Sugar, Homewood Spruce,

T. 38 N. R. 3 W. 2nd Nov. Ind.to L,
North

Between sections 28 & 29

14.00 To a stream 18 M. wide on W

16.00 Leave bearing

25.30 To a Hickory 12 in dia. in line

40.00 Set a gr. sec. cor. post from which
a Buck 12 in dia. bears S 71 E 11 M. dist.
& a Loc. 10 " " " S 56 W 9 " "

59.68 To a Hickory 8 in dia. in the line,

80.00 Set a post cor. to sec. 20, 21, 28 & 29

& a Buck 8 in dia. bears S 12 W 18 M. dist.

& a Loc. 8 " " " S 70 E 19 " "

Land flat & soil thin & the timber
is sugar. Buck. Hickory &c

East On Random between sec. 21 & 28

40.00 Set a temporary gr. sec. cor. post,

59.00 To a stream 20 M. wide on S. W

80.20 To the E. line of sec. 50 M. dist. off post
Oct. 28th 1829,

West Correct the line between sec. 21 & 28

40.10 Set the sec. cor. post from which
a Sugar 15 in dia. bears N 71 W 21 M.
& a Loc. 12 " " " South 27 "

80.20 To the section corner,

Land &c. is same as last mile,

North Between sections 20 & 21

25.00 To a Maple 10 in dia. in the line,

40.00 Set the gr. sec. cor. post from which
a Maple 10 in dia. bears S 85 W 15 M. dist.
& an Elm 10 " " " S 18 E 29 " "

59.49 To a Buck 14 " " in the line,

80.00 Set a post cor. to sec. 16, 17, 20 & 21

T. 38 N. R. 3 W. 2nd New, Ind.

6. Le. a W. Oak 20 in dia. bears N 59 W 22 M,
 & a Bush 10 a " " N 78 E 17 "
 Land low & wet & the timber as before

East On Random between sec. 16 & 21,
 22.00 Enter Pine & Lamerav. Swamp
 40.00 Set a tempy. 1/4 sec. cor. post,
 80.29 To the E. line of sec. 16 M. N. of post,
 in the edge of a swamp

West Correct the line between sec. 16 & 21
 40.14 Set the gr. sec. cor. post from wh.
 a B. Oak 30 in dia. bears N 58 E 68 M,
 & a Maple 20 a " " N 75 W 36 "
 Land swampy & the timber is same
 80.28 To the section corner,

North Between Section 16 & 17
 18.50 To a R. Oak 18 in dia. in the line
 40.00 Set the gr. sec. cor. post from which
 a Lym 18 in dia. bears North 12 M.,
 & a Bush 9 a " " N 78 W 12 " dit
 63.36 To a Bush 15 in dia. in the line,
 80.00 Set a post cor. to sec. 8 & 9. 16 & 17,
 a Bush 12 in dia. bears N 56 E 6 M. dit,
 & a Loc 14 a " " N 15 E 23 " "
 Land level soil thin & the timber
 is Bush R & W. Oak &c

East On Random between sec. 9 & 16
 40.00 Set a tempy. 1/4 sec. cor. post of
 80.10 To the E. line of sec. 20 M. N. of post

West Correct the line between sec. 9 & 16

T. 38 N. R. 3 W. 2nd Mer. Ind.

C. S.
 40.05 Set the gr. res. cor. post from which
 a W. Oak 10 in dia. bears East 21st the dist.
 & a Red Oak 15 " " " S 56 E 6 " "
 80.10 To the section corner,
 Land &c. is same as on last mile

North Between sections 8 & 9
 19.06 To a Red Oak 10 in dia. in the line
 40.00 Set the Sec. res. cor. post from which
 a Beech 12 in dia. bears S 18 W 12th the
 & a Sugar 18 " " " S 67 E 31 "
 42.93 To the N. boundary of Indiana & set
 post corner to Sec. 8 & 9 from which
 an Aspen 9 in dia. bears S 30 E 19th the
 & a Sycamore 12 " " " S 43 W 15 "
 Land low & wet & the timber is same,

North Between sections 31 & 32
 15.40 To a Hickory 12 in dia. in the line,
 25.00 " " Stream 20th the wide on W,
 27.00 Leave Banks
 40.00 Set the gr. res. cor. post from which
 an Ironwood 9 in dia. bears S 64 E 17th the
 & a Hickory 10 " " " S 18 W 19th the
 64.00 To a Beech 10 " " in the line,
 80.00 Set a post corner to Sec. 29, 30, 31 & 32
 a Beech 25 in dia. bears S 8 W 20th the dist.
 & a Do. 15 " " " N 21 W 20 " "
 Land 2nd rate & the timber is Oak
 Sugar Beech Ironwood &c
 Oct. 29th 1829 —

East On Random between Sec. 29 & 32
 40.00 Set a temporary 1/4 res. cor. post —

230

T. 38 N. R. 3 W. 2nd Mer, Ind^a,

Co. L,
60.80 To a stream about S. W. 25th mile
62.00 Entered canopy
79.72 To the E. line of sec. 60 N. of post

West Correct the line between sec. 29 & 32
39.86 Set the gr. sec. cor. post from which
a Beech 9 in. dia. bears N 30 E 32th m.,
& a Sugar 10 " " " S 55 E 25 "
Land level soil thin & the timber
is Beech, Sugar & Hornwood Oak &c,

West Between sections 30 & 31
20.95 To a Beech 18 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a Gray Ash 10 in. dia. bears N 46 W 6th m.,
& a Beech 20 " " " S 75 W 10 "
60.96 To a Do. 18 " " in the line,
80.35 " the W. boundary. 2.33 m. N. of post
& set a post cor. to sec. 30 & 31 -
a Beech 10 in. dia. bears S 35 E 31th m. dia.,
& a Do. 12 " " " N 35 E 29 " "
Land rolling & rate & the timber
is Sugar, Beech & Oak &c

North Between sections 29 & 30
19.65 To a W. Oak 12 in. dia. in the line,
30.00 To a stream 10 m. wide on W
40.00 Set a gr. sec. cor. post from which
a Beech 15 in. dia. bears S 82 E 14th m.,
& a Maple 10 " " " N 72 W 7 " dia.,
61.10 To a Gray Ash 15 in. dia. in the line
73.00 Entered a swamp
78.00 Leave the same
80.00 Set a post cor. to sec. 19.20.29 & 30,

T. 38 N. R. 3 W. 2nd New Ind.

C. E.

a Beech 9 in. dia. bears at 72 W 15 N. 10 ft.
 La Do. 9 " " " S 61 E 60 " "
 Land flat & soil is 2nd rate & the
 timber is as before —

East

On Random between sec. 20 & 29
 40.00 Set the temporary 1/4 sec. cor. post
 78.50 To the E. line of sec. 86 N. of
 post —

West

Correct the line between sec. 20 & 29
~~24.70~~ To a Red Oak 8 in. dia. in the line
 39.25 Set the 1/4 sec. cor. post from which
 a Red Oak 18 in. dia. bears at 30 E 13 N.
 La W. Oak 9 " " " South 8 "
 78.50 To the section corner. Land &
 is same as on last mile,

West

Between sec. 19 & 30,
 24.70 To a Red Oak 8 in. dia. in the line,
 40.00 Set the 1/4 sec. cor. post from which
 a Beech 18 in. dia. bears at 60 E 36 N.
 La Do. 15 " " " S 36 W 21 " dia.
 56.58 To a Beech 10 " " in the line,
 80.50 To the W. boundary. 1 ch & 2 N. of post
 where set post cor. to sec. 19 & 30
 a W. Oak 30 in. dia. bears at 4 E 30 N.
 La Do. 18 " " " East 125 " dia.
 Land flat & timber same as before

North

Between sections 19 & 20
 31.24 To a Beech 18 in. dia. in the line,
 33.50 " " " 10 ft. wide on W.
 40.00 Set the 1/4 sec. cor. post from which

T. 38 N. R. 3 W. 2nd. Allen, Ind.

- Co. L. a Beech 10 in. dia. bears N 55 E 14 lbs,
 & a Do. 18 " " " N 6 W 17 "
 58.04 To a Beech 18 " " in the line,
 80.00 Set a post cor. to sec. 17, 18, 19 & 20
 a Bl. Ash 8 in. dia. bears N 65 W 9 lbs,
 & a Do. 15 " " " N 11 E 25 "
 Land level & the timber is Beech Sugar
 Ash Elm, Oak & Maple &c

East On Random between sec. 17 & 20
 40.00 set a temporary 1/4 sec. cor. post
 79.25 To the E. line of sec. 96 lbs. N. of post,

West Correct the line between sec. 17 & 20
 39.62 set the gr. gr. sec. cor. post. from which
 a Poplar 14 in. dia. bears N 73 E 15 lbs,
 & a Maple 14 " " " N 12 W 30 " dit,
 Land & timber same as on last mile,
 79.25 To the sec. corner,

West Between sections 18 & 19
 21.07 To a W. Oak 36 in. dia. in the line,
 30.00 To a stream 10 lbs. wide on N,
 40.00 set the gr. sec. cor. post from which
 a Beech 14 in. dia. bears N 47 W 25 lbs,
 & a Poplar 18 " " " N 87 E 30 " dit,
 57.87 To a Sugar 20 " " in the line,
 81.25 " the W. boundary, 1.10 lbs. N. of post
 set post cor. to sec. 18 & 19 for a wh,
 a Poplar 20 in. dia. bears N 68 E 14 lbs. dit,
 & a Red Oak 18 " " " N 62 E 15 " "
 Land low level, & the timber is Sugar
 Beech, Ash Poplar Oak &c

T. 38 N. R. 3 W. 2nd Mer. Ind.^aCo. L.
North

- Between sec. 17 & 18
 20.53 To a Birch 12 in. dia. in the line,
 33.00 Enter a Pine Swamp
 40.00 Set the gr. sec. cor. post from wh.
 a Pine 14 in. dia. bears S 81° E 24 M. dist.
 & a Do. 18 " " " S 25° W 27 " "
 63.00 Leave the swamp
 69.50 To a Sycamore 12 in. dia. in line
 78.00 Enter an Alder Swamp
 80.00 Set a post cor. to sec. 7, 8, 19 & 18
 a Gray Ash 10 in. dia. bears S 26° E 37 M. dist.
 & a - no other tree near
 Land flat & swampy & the timber
 is Pine, Sycamore, Birch &c

East

- On Random between sec. 8 & 17
 5.00 Leave swamp
 40.00 Set a temporary 1/4 sec. cor. post
 79.18 To the E line of sec. 100 M. E. of post

West

- Correct the line between sec. 8 & 17
 39.59 Set the gr. sec. cor. post from which
 a Sapafra 14 in. dia. bears N 65° E 29 M.
 & a Do. 11 " " " N 45° W 23 "
 79.18 To the sections corner,
 Land level & the timber is Sugar
 Birch, Sapafra, W & R Oak &c

West

- Between sections 7 & 18,
 20.09 To a Lameray 9 in. dia. in line
 40.00 Set the gr. sec. cor. post from wh.
 a Lameray 7 in. dia. bears S 21° E 12 M.
 & a Do. 4 " " " S 18° W 15 "
 62.83 To a Birch 9 " " in the line,

T. 38 N. R. 3 W. 2nd Mer. Ind.

6125,
80143

To the W. boundy, 120 lks. N of post
where set post cor. to sec, 7 & 18, from wh,
a sup. Oak 10 in dia, bears N 10 E 18 lks. dist &
an Aspen 9 " " " N 21 E 21 " "
Land all swamp from end to end
Lumber. Pine Birch Oak & aspen &c,

North Between sections 7 & 8,
42.90 To the N. boundy. of state cor. of
sec, 7 & 8, where set post from wh,
a Pine 9 in dia, bears N 40 W 225 lks. dist,
& no other tree near,
Land all swamp from end to end
Alder, & Pine & scrubby at that,
Finished Oct 31st 1829.

Thomas Henderson, Dep. Sur.

Pursuant to a contract dated Sept. 16,
1829, & instructions from William Lytle
Surveyor General of the United States
I have surveyed & subdivided the fore-
going township in Indiana described
in said contract: & I hereby certify that
the foregoing are the correct & true field
notes of the lines which they purport
to be, as part of said contract.

Certified this 4th of February, 1830
Thomas Henderson, Dep. Sur.

T. 38 N. R. 3 W. 2nd Mer. Ind.^a

I certify that the foregoing transcript
of field notes of Township 38 North of
Range 3 West of 2nd Mer. Indiana, has
been compared with the original in
this office & found to be correct.

E. S. Haines

Sur. Genl.

Surveyor General's office,
Cincinnati. May 12th 1842.